Cancer Letters, 34 (1987) 355—359
Elsevier Scientific Publishers Ireland Ltd.

SUBJECT INDEX
Volume 34

Acute hydroxyurea toxicity, protection of L5178Y cells by vitamin E against, does not change the efficiency of ribonucleotide reductase-mediated hydroxyurea-induced cytotoxic events, 337
Aflatoxin B_1 in a microsome catalyzed reaction, action of vitamin A on a DNA adduct formation by, 213
Aflatoxin-induced hepatic tumors in rats, effects of antioxidants on, 139
Aldehyde dehydrogenase activity in primary and metastatic adenocarcinomas of the human colon, changes in the pattern of, 27
Anti-inflammatory drugs, effect of, on the production of tumour necrosis factor and lipopolysaccharide induced-mortality in mice, 291
Antioxidants, effects of, on aflatoxin-induced hepatic tumors in rats, 139
Arylhydrazines, metabolism of, by cytochrome *P*-450 mixed function oxidases and prostaglandin(H)synthase from mouse lungs, 193
Autochthonous chemically induced colorectal tumors in SD rats, paradoxical effect of dichlorobis(1-phenylbutane-1,3-dionato)-molybdenum (IV), ($Mo(bzac)_2Cl_2$) on the growth of, 325

Benz[*a*]anthracene, chrysene in comparison to, monooxygenase induction by various xenobiotics and its influence on rat liver microsomal metabolism of, 91
Bladder carcinogenesis in *N*-butyl-*N*-(4-hydroxybutyl) nitrosamine-initiated, unilaterally ureter-ligated rats, dose-dependent effects of butylated hydroxyanisole, butylated hydroxytoluene and ethoxyquin for promotion of, 83
Blood serum of animals exposed to a short-term influence by *N*,N'-ethylenethiourea, a well known hepatic carcinogen: a preliminary report, on the appearance of polyadenylate polymerase activity in, 61
Butylated hydroxyanisole, butylated hydroxytoluene and ethoxyquin, dose-dependent effects of, for promotion of bladder carcinogenesis in *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-initiated, unilaterally ureter-ligated rats, 83
Butylated hydroxytoluene, butylated hydroxyanisole, and ethoxyquin, dose-dependent effects of, for promotion of bladder carcinogenesis in *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-initiated, unilaterally ureter-ligated rats, 83
Butyrate and retinoate, dimethylsulfoxide, modulation of secreted plasminogen activator activity of human renal carcinoma cells by, 305

Carcinogenesis, complete, metastasis from squamous cell carcinomas of SENCAR mouse skin produced by, 121
Carcinogenic effects in A/J mice of particulate of a coal tar paint used in potable water systems, 49
Carcinoma, human skin, breast and rectal, diamineoxidase activity and tissue histamine content of, 207
Chinese hamster ovary cells, the effect of hyperthermia on the cytotoxicity of melphalan in, 145
Chinese hamsters, pancreatic carcinogenicity of *N*-nitrosobis(2-oxopropyl)-amine in diabetic and non-diabetic, 221
Chrysene in comparison to benz[*a*]-anthracene, monooxygenase induction by various xenobiotics and its influence

on rat liver microsomal metabolism of, 91
Cisplatin resistance in murine L1210 leukemia cells, glutathione depletion reverses, 9
Clofibrate does not induce peroxisomal proliferation in human hepatoma cell lines PLC/PRF/5 and SK-HEP-1, 263
Collagen loss, associated with its inflammatory effect on mouse skin, chronic 12-*O*-tetradecanoylphorbol-13-acetate treatment prevents restoration of, 273
Cysteine and nitrate, influence of, on the endogenous formation of *N*-nitrosamino acids, 39
Cytochrome *P*-450 mixed function oxidases and prostaglandin(H)synthase from mouse lungs, metabolism of arylhydrazines by, 193
Cytotoxicity of melphalan in Chinese hamster ovary cells, the effect of hyperthermia on the, 145

Diamineoxidase activity and tissue histamine content of human skin, breast and rectal carcinoma, 207
Dichlorobis(1-phenylbutane-1,3-dionato)-molybdenum (IV), ($Mo(bzac)_2Cl_2$, paradoxical effect of, on the growth of autochthonous chemically induced colorectal tumors in SD rats, 325
Didemnin B inhibits biological effects of tumor promoting phorbol esters on mouse skin, as well as phosphorylation of a 100 kD protein in mouse epidermis cytosol, 187
Diethylstilbestrol, ovariectomy of adult mice exposed prenatally to, 115
Dimethylsulfoxide, butyrate and retinoate, modulation of secreted plasminogen activator activity of human renal carcinoma cells by, 305
1,6-Dinitropyrene, active H-*ras* and N-*ras* in rat fibrosarcomas induced by, 317
Dissociated and cultured human breast fibroadenoma epithelial cells, estrogen receptor in, 233
DNA, RNA and total protein levels in subcellular fractions of human brain tumors, 67
DNA adduct formation by aflatoxin B_1, action of vitamin A on a, in a microsome catalyzed reaction, 213
DNA and carcinogen-induced DNA repair in human diploid fibroblasts, effects of sodium selinite on, 73

Ellagic acid, distribution and metabolism of, in the mouse following intraperitoneal administration, 165
Endogenous formation of *N*-nitrosamino acids, influence of cysteine and nitrate on the, 39
Estrogen receptor in dissociated and cultured human breast fibroadenoma epithelial cells, 233
Ethoxyquin, butylated hydroxyanisole, butylated hydroxytoluene and, dose-dependent effects of, for promotion of bladder carcinogenesis in *N*-butyl-*N*-(4-hydroxybutyl) nitrosamine-initiated, unilaterally ureter-ligated rats, 83
N,N'-Ethylenethiourea, a short-term influence by a well known hepatic carcinogen: a preliminary report, on the appearance of polyadenylate polymerase activity in the blood serum of animals exposed to, 61

F344 rats, production of urinary tract tumors by co-administration of uracil and *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]-formamide in, 249
Fibrosarcomas, rat, active H-*ras* and N-*ras* in, induced by 1,6-dinitropyrene, 317

Glutathione depletion reverses cisplatin resistance in murine L1210 leukemia cells, 9
Gynaecological tumours, urinary 6-keto-prostaglandin $F_{1\alpha}$ in patients with, 201

Harding—Passey melanoma, heat-sensitivity of the, 331
Heat-sensitivity of the Harding—Passey melanoma, 331
Hematoporphyrin di-ethers with similar chromatographic properties as the tumorlocalizing fraction of hematoporphyrin derivative, cellular uptake and photosensitizing properties of, 283
Hepatic tumors in rats, aflatoxin-induced, effects of antioxidants on, 139
Housing stress, effect of, on the formation and development of tumors in rats, 257

H-*ras* and N-*ras*, active in rat fibrosarcomas induced by 1,6-dinitropyrene, 317
Human brain tumors, RNA, DNA and total protein levels in subcellular fractions of, 67
Human colon, changes in the pattern of aldehyde dehydrogenase activity in primary and metastatic adenocarcinomas of the, 27
Human diploid fibroblasts, effects of sodium selenite on DNA and carcinogen-induced DNA repair in, 73
Human renal carcinoma cells, modulation of secreted plasminogen activator activity of, by dimethylsulfoxide, butyrate and retinoate, 305
Hyperthermia, the effect of, on cytotoxicity of mephalan in Chinese hamster ovary cells, 145

Intraperitoneal administration, distribution and metabolism of ellagic acid in the mouse following, 165
In vivo diffusion chamber culture reduces the tumorigenicity of PCC4-AZA1 teratocarcinoma cells, 21

6-Keto-prostaglandin F_{1a}, urinary, in patients with gynaecological tumours, 201

Lipopolysaccharide induced-mortality in mice, effect of anti-inflammatory drugs on the production of tumour necrosis factor and, 291

Melanoma cell surface anionic macromolecules, modulation of polycation-induced redistribution of, by retinoic acid, 345
Metastasis from squamous cell carcinomas of SENCAR mouse skin produced by complete carcinogenesis, 121
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine or *N*-propyl-*N'*-nitro-*N*-nitrosoguanidine, comparison of stomach cancer induced in rats by, 173
Microsome catalyzed reaction, action of vitamin A on DNA adduct formation by aflatoxin B_1 in a, 213
Monooxygenase induction by various xenobiotics and its influence on rat liver microsomal metabolism of chrysene in comparison to benz[*a*]-anthracene, 91
Mouse epidermis cytosol, Didemnin B inhibits biological effects of tumor promoting phorbol esters on mouse skin as well as phosphorylation of a 100 kD protein in, 187
Murine B lymphocyte differentiation, direct inhibition of, by, 12-*O*-tetradecanoylphorbol-13-acetate, 157
Murine epidermal cells, adult: application to experimental carcinogenesis, a new medium for primary cultures of, 297
Murine L1210 leukemia cells, glutathione depletion reverses cisplatin resistance in, 9
Mutagens, urinary excretion of, in smokers of cigarettes with various tar and nicotine yields, black tobacco, and cigar, 103

Necrosis factor, tumour, and lipopolysaccharide induced-mortality in mice, effect of anti-inflammatory drugs on the production of, 291
New anticancer drugs XX, in the search for. P388 cells, a comparison of the in vitro growth inhibition of, by TEPA and *N,N,N',N'*-bis(1,2-ethanediyl)-*N''*-(1-oxyl-2,2,6,6-tetramethyl-4-piperidinylaminocarbonyl)phosphoric triamide and congeners, 3
Newborn mice, tumorigenic activity of non-alternant polynuclear aromatic hydrocarbons in, 15
Nitrate, influence of cysteine and, on the endogenous formation of *N*-nitrosamino acids, 39
N-Nitrosamino acids, influence of cysteine and nitrate on the endogenous formation of, 39
N-Nitrosobis(2-oxopropyl)amine in diabetic and non-diabetic Chinese hamsters, pancreatic carcinogenicity of, 221
Non-alternant polynuclear aromatic hydrocarbons in newborn mice, tumorigenic activity of, 15
N-*ras*, H-*ras* and, active, in rat fibrosarcomas induced by 1,6-dinitropyrene, 317

Ovariectomy of adult mice exposed prenatally to diethylstilbestrol, 115

P388 cells, A comparison of the in vitro growth inhibition of, by TEPA and

N,N,N',N'-bis(1,2-ethanedinyl-*N''*-(1-oxyl-2,2,6,6-tetramethyl-4-piperidinylaminocarbonyl)phosphoric triamide and congeners, in the search for new anticancer drugs, 3
Pancreatic carcinogenicity of *N*-nitrosobis-(2-oxopropyl)amine in diabetic and non-diabetic Chinese hamsters, 221
Particulate of a coal tar paint used in potable water systems, carcinogenic effects in A/J mice of, 49
PCC4-AZA1 teratocarcinoma cells, in vivo diffusion chamber culture reduces the tumorigenicity of, 21
Peroxisomal proliferation, clofibrate does not induce, in human hepatoma cell lines PLC/PRF/5 and SK-HEP-1, 263
Plasminogen activator activity of human renal carcinoma cells, secreted, modulation of, by dimethylsulfoxide, butyrate and retinoate, 305
PLC/PRF/5 and SK-HEP-1, human hepatoma cell lines, clofibrate does not induce peroxisomal proliferation in, 263
Polyadenylate polymerase activity, in blood serum of animals exposed to a short-term influence by *N,N'*-ethylenethiourea, a well known hepatic carcinogen: a preliminary report, on the appearance of, 61
Polyamines levels in sarcoma-bearing rats in relation to growth and necrosis of the tumour cells, 55
Polycation-induced redistribution of melanoma cell surface anionic macromolecules by retinoic acid, modulation of, 345
Polynuclear aromatic hydrocarbons, binding of, to the rat 4S cytosolic binding protein: structure-activity relationships, 129
Potable water systems, carcinogenic effects in A/J mice of particulate of a coal tar paint used in, 49
Primary and metastatic adenocarcinomas of the human colon, changes in the pattern of aldehyde dehydrogenase activity in, 27
Primary cultures of adult murine epidermal cells: application to experimental carcinogenesis, a new medium for, 297
N-Propyl-*N'*-nitro-*N*-nitrosguanidine, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine or, comparison of stomach cancer induced in rats by, 173
Prostaglandin(H)synthase, cytochrome *P*-450 mixed function oxidases from mouse lungs and, metabolism of arylhydrazines by, 193

Rat liver microsomal metabolism of chrysene in comparison to benz[*a*]-anthracene, monooxygenase induction by various xenobiotics and its influence on, 91
Rat 4S cytosolic binding protein: structure-activity relationships, binding of polynuclear aromatic hydrocarbons to the, 129
Retinoate, dimethylsulfoxide, butyrate and, modulation of secreted plasminogen activator activity of human renal carcinoma cells by, 305
Retinoic acid, modulation of polycation-induced redistribution of melanoma cell surface anionic macromolecules by, 345
Ribonucleotide reductase-mediated hydroxyurea-induced cytotoxic events, protection of L5178Y cells by vitamin E against acute hydroxyurea toxicity does not change the, 337
RNA, DNA and total protein levels in subcellular fractions of human brain tumors, 67

S-9 activating system, short-term quantitative in vitro cytotoxicity assay involving an, 243
Sarcoma-bearing rats, polyamines levels in, in relation to growth and necrosis of the tumour cells, 55
SENCAR mouse skin, metastasis from squamous cell carcinomas of, produced by complete carcinogenesis, 121
Short-term quantitative in vitro cytotoxicity assay involving an S-1 activating system, 243
Smokers of cigarettes with various tar and nicotine yields, black tobacco, and cigar, urinary excretion of mutagens in smokers of cigarettes with various tar and nicotine yields, black tobacco, and cigar, 103
Sodium selenite, effects of, on DNA and carcinogen-induced DNA repair in human diploid fibroblasts, 73

Squamous cell carcinomas of SENCAR mouse skin produced by complete carcinogenesis, metastasis from, 121
Stomach cancer, comparison of, induced in rats by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine or *N*-propyl-*N'*-nitro-*N*-nitrosoguanidine, 173
Subcellular fractions of human brain tumors, RNA, DNA and total protein levels in, 67

TEPA and *N,N,N',N'*-bis(1,2-ethanediyl)-*N''*-(1-oxyl-2,2,6,6-tetramethyl-4-piperidinyl-aminocarbonyl)phosphoric triamide and congeners, in the search for new anticancer drugs XX. A comparison of the in vitro growth inhibition of P388 cells by, 3
12-*O*-Tetradecanoylphorbol-13-acetate, direct inhibition of murine B lymphocyte differentiation by, 157
12-*O*-Tetradecanoylphorbol-13-acetate treatment, chronic, prevents restoration of collagen loss associated with its inflammatory effect on mouse skin, 273
Tissue histamine content, diamineoxidase activity and, of human skin, breast and rectal carcinoma, 207
Total protein levels, RNA, DNA and, in subcellular fractions of human brain tumors, 67
Tumorigenic activity of non-alternant polynuclear aromatic hydrocarbons in newborn mice, 15
Tumorigenicity of PCC4-AZA1 teratocarcinoma cells, in vivo diffusion chamber culture reduces the, 21
Tumorlocalizing fraction of hematoporphyrin derivative, cellular uptake and photosensitizing properties of hematoporphyrin di-ethers with similar chromatographic properties as the, 283
Tumor promoting phobrol esters on mouse skin, Didemnin B inhibits biological effects of, as well as phosphorylation of a 100 kD protein in mouse epidermis cytosol, 187
Tumour cells, polyamines levels in sarcoma-bearing rats in relation to growth and necrosis of the, 55

Uracil and *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide in F344 rats, production of urinary tract tumors by co-administration of, 249
Urinary excretion of mutagens in smokers of cigarettes with various tar and nicotine yields, black tobacco, and cigar, 103
Urinary tract tumors, production of, by co-administration of uracil and *N*-[4(5-nitro-2-furyl)-2-thiazolyl]formamide in F344 rats, 249

Vitamin A, action of, on DNA adduct formation by aflatoxin, B_1 in a microsome catalyzed reaction, 213
Vitamin E, protection of L5178Y cells by, against acute hydroxyurea toxicity does not change the efficiency of ribonucleotide reductase-mediated hydroxyurea-induced cytotoxic events, 337

Xenobiotics, various, monooxygenase induction by, and its influence on rat liver microsomal metabolism of chrysene in comparison to benz[*a*]-anthracene, 91

Cancer Letters, 34 (1987) 361—362
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX
Volume 34

Aboobaker, V.S. 213
Aitokallio-Tallberg, A. 201
Andrews, P.A. 9
Arnon, J. 263

Balakrishnan, A. 233
Baldwin, J.K. 297
Bar-Tana, J. 263
Bates, D.A. 145
Baxter, C.S. 157
Beattie, C.W. 233
Bell, Jr., R.H. 221
Berger, M.R. 325
Bhattacharya, R.K. 213
Borenfreund, E. 243
Braley, J. 15
Bull, R.J. 49
Burns, C.P. 9

Campbell, J. 139
Chanda, R. 207
Cheng, C.P. 290
Choy, Y.M. 290
Cieplak, W. 305
Clayson, D. 139
Croft, W.A. 249

Dacus, S.C. 305
Das Gupta, T.K. 233

Feldman, A. 331
Firozi, P.F. 213
Fischer, S.M. 297
Fukushima, S. 83
Fung, K.P. 290

Ganguly, A.K. 207
Garzon, F.T. 325
Grimmer, G. 91
Gschwendt, M. 187
Gutierrez, P.L. 3

Ha, D.K.K. 290
Hamann, M. 91
Hayashida, S. 249
Hayward, S. 139
Henritzy, L.L. 145
Hertz, R. 263
Hierlihy, S. 139
Hirose, M. 83
Hoter, A. 263
Hromas, R.A. 9

Ishikawa, F. 317
Ishizaka, Y. 317
Ito, N. 83
Iverson, F. 139

Jacob, J. 91

Kameyama, T. 21
Kamiński, K. 55
Kamiryo, Y. 249
Kamps, C. 129
Keppler, B.K. 325
Kittstein, W. 187
Klein-Szanto, A.J.P. 121
Kökoğlu, E. 67
Kopeć-Szlezak, J. 337
Kurata, Y. 83
Kuznetzov, D.A. 61

Labossiere, E. 139
Laurie, R.D. 49
LaVoie, E.J. 15
Lawson, T. 193
Lee, C.Y. 290
Lieder, F. 103
Lotan, D. 345
Lotan, R. 345
Loutfi, A. 145

Mackillop, W.J. 145
Malec, J. 337
Marian, B. 273
Marikovsky, Y. 345
Marks, F. 187
Marselos, M. 27
Mašliński, C. 55
Muturan, A. 331
Michalopoulos, G. 27

Miller, B. 3
Miura, Y. 317
Moan, J. 283
Mohtashamipur, E. 103
Morris, R.J. 297
Murphy, M.P. 9

Nagao, M. 317
Nandi, S. 233
Nelson, N.F. 305
Nomura, T. 21
Norpoth, K. 103

Ochiai, M. 317
Ogiso, T. 83
Ohgaki, H. 317

Patskan, G.J. 121
Petro, T.M. 157
Phillips, J.L. 121
Pour, P.M. 221
Prager, M.D. 305
Preussmann, R. 39
Przybyszewski, W.M. 337
Puerner, J.A. 243

Raab, G. 91
Rao, N.U.M. 3
Rice, J.E. 15
Rimington, C. 283
Rivenson, A. 15
Robinson, M. 49
Robinson Goldman, P. 257

Safe, S. 129
Sato, S. 317
Schmähl, D. 325
Schmoldt, A. 91
Schuman, L.D. 157
Shouval, D. 263
Slaga, T.J. 121,297
Snyder, R.D. 73
Sommer, S. 283
Sosnovsky, G. 3
Stanosek, J. 55
Steplewski, Z. 257
Stober, J.A. 49
Sugimura, T. 317
Szczurek, Z. 55

Tacker, K.C. 297
Teel, R.W. 165
Tricker, A.R. 39

Viinikka, L. 201
Vogel, W.H. 257

Walker, B.E. 115
Wang, C.X. 173,249
Weinstein, G.D. 345
Williams, G.M. 173

Yang, J. 233
Ylikorkala, O. 201

Zavijalov, N.V. 61